

मिरा-भाईंदर महानगरपालिका

मुख्य कार्यालय, भाईंदर स्व. इंदीरा गांधी भवन, छत्रपती शिवाजी महाराज मार्ग, भाईंदर (पश्चिम) ता.जि.ठाणे — ४०११०१.

जा. क्र. मनपा/आ. व्य./६/ / २०२३-२४

G. 23/04/2023

// जाहिर नोटीस //

मिरा भाईंदर महानगरपालिका क्षेत्रामध्ये आवश्यकतेनुसार सी. सी. टी. व्ही. कॅमेरे बसवून यंत्रणा कार्यान्वित करणेकामी चालू जिल्हा दरसूचीमध्ये दर उपलब्ध नसल्याने खुल्या बाजारातून दरपत्रक मार्गाविण्यात येत आहेत.

सदर कामाकरीता दि. 30/09/2023 रोजी दुपारी १२:०० वाजेपर्यंत मिरा भाईंदर महानगरपालिका, मुख्य कार्यालय, तिसरा मजला, ई-टेंडरींग कक्ष येथे स्वारस्य असलेल्या कंत्राटदाराने सोबत जोडलेल्या दरपत्रकातील बाबींकरीता दर भरून देण्यात यावेत.

(मनस्वी म्हात्रे) सिस्टीम ॲनालिस्ट मिरा भाईंदर महानगरपालिका

MIRA BHAINDER MUNICIPAL CORPORATION

NAME OF WORK : Supply and Installation of IP based CCTV Components in MBMC Area

QTY	UNIT		RATE	GST	TOTAL
1.00	EACH	Supplying & erecting 4MP IP Bullet Outdoor Camera ir dist upto	bried phicio	ni Horai	ALC: N
		30 mtr, audio input, built in micro SD slot upto 256GB	poor each v		
1.00	EACH	Supplying & erecting 5MP IP Bullet Outdoor Camera ir dist upto	ne ă privinci	18)	
	2,1011	30 mtr, audio input, built in micro SD slot upto 256GB	boad paime		00.1
1.00	EACH	Cumplying 0	u ricina ficial	198	
	LACIT	30 mtr, audio input, built in micro SD slot upto 256GB	ie å chiudo		
1.00	EACH	Cumplying 0 and the AMD ID D II to the	ence onice	MINI PLONES	
	EACH	50 mtr, audio input, built in micro SD slot upto 256GB	Nes Minis		
1.00	EACH	Cumplying 9 and the SMD ID D II I G	e 8 paylor		
1.00	EACH	50 mtr, audio input, built in micro SD slot upto 256GB	hand actors		00 1
1.00	EACH	Cumplying 0 and the COMP ID D II I C	a rices from	ine.	
		50 mtr, audio input, built in micro SD slot upto 256GB	nes S rentra re		
	EACH	Supplying 9 propting AMD ID Dullet O. I.	American		9017
1.00		80 mtr, audio input, built in micro SD slot upto 256GB	turi sana iyi isi is		
		Cumplying & areating EMD ID Dullet O III	B 18050 1574		E-market -
1.00		80 mtr, audio input, built in micro SD slot upto 256GB	HE IN THAT	Lancal	
		Cumplying 9 areating 4MD Fig. 11	INCHES TALILIE		
1.00	EACH	Supplying & erecting 4MP Fixed Lens IP Dome Indoor Camera 30 mtr IR dist			
		Cumplying 9 execting AMD Fire II IDD	no a gaye		
1.00	EACH	Supplying & erecting 4MP Fixed Lens IP Dome Indoor Camera	COREU LANGE		
		30 mtr IR dist with built-in mic, built in micro SD slot upto	W CORP TO	HJR L	
1.00	EACH	Supplying & erecting 5MP Fixed Lens IP Dome Indoor Camera	20 A 2 B 10 C		
		30 mtr IR dist	where being	DEL HUEL	100-1-1
1.00	EACH	Supplying & erecting 5MP Fixed Lens IP Dome Indoor Camera			Contract of
		30 mtr IR dist with built-in mic, built in micro SD slot upto 256GB	eta & privile	li de la constant	
1.00	EACH	Supplying & erecting 8MP Fixed Lens IP Dome Indoor Camera	vened gradi	Sec 100/05	
		30 mtr IR dist	e does ho	guel - Land	
1.00	EACH	Supplying & erecting 8MP Fixed Lens IP Dome Indoor Camera	ine à gradi		
		30 mtr IR dist with built-in mic, built in micro SD slot upto 256GB	teur Joseph	one HOAS	
	EACH	Supplying & erecting 5MP VeriFocal lens (2.7 - 13.5mm) IP	genera emili	251	
1.00		Bullet Outdoor Camera 30 mtr IR dist with audio input, built in	ere à prisé	Bug	
		micro SD slot upto 256GB	it foodflied	BIN HOA	
		Supplying & erecting 8MP VeriFocal lens (2.8 - 12mm) IP Bullet	cennos a de		
1.00	EACH	Outdoor Camera 30 mtr IR dist with audio input, built in micro	and 2 part of	0.00	
		SD slot upto 256GB		DESTRUM	
		Supplying & erecting 5MP VeriFocal lens (2.7 - 13.5mm) IP	The State of		
1.00		Bullet Outdoor Camera 50 mtr IR dist with audio input, built in		890E H0/E	
		micro SD slot upto 256GB		MENTEN	
		Supplying & erecting 8MP VeriFocal lens (2.8 - 12mm) IP Bullet	Service V. Service		
1.00	FACH	Outdoor Camera 50 mtr IR dist with audio input, built in micro			
	LATOIT	SD slot upto 256GB		ALCO NO.	
		Supplying & erecting 5MP VeriFocal lens (2.7 - 13.5mm) IP			
1.00	EACH	Bullet Outdoor Camera 100 mtr IR dist with audio input, built in			
1.00	LAOIT	micro SD slot upto 256GB			
			STATE OF THE STATE OF		
1.00		Supplying & erecting 8MP VeriFocal lens (2.8 - 12mm) IP Bullet	AND RESIDENCE		
1.00		Outdoor Camera 100 mtr IR dist with audio input, built in micro	Telegranica		
		SD slot upto 256GB	1918 A GOFF	MARKET ELONG	
.00		2MP IP PTZ 25X optical zoom 150mtr IR dist with audio input,	esne & poet		
		built in micro SD slot upto 256GB		2014	
.00		4MP IP PTZ 25X optical zoom 100mtr IR dist with audio input,	3518 8 818		
		built in micro SD slot upto 256GB	e as rolluiri	emos Hei	
.00	EACH	PTZ Joystick with 1 RS-232, 2 RS-485,used to control PTZ		tage	
.00		dome, four-dimensional joystick	mana bos el		
		PTZ Joystick with 10'2" screen, 1 * RS232,1 * RS485,1 * HDMI	a spelloy B	(E REEL	
1.00	EACH	output,1 * RJ45 port, 1 * USB interface,1 * standard 3.5mm	ented boute	ede7 H2	
		audio jack, four-dimensional joystick	2011 100		

QTY	UNIT		RATE	GST	TOTA
4.00		Supplying & erecting 4 channel NVR with up to 64 Mbps	C MA S R PARTY		
1.00	EACH	incoming bandwidth & 48 Mbps outgoing bandwidth, 1 HDD			1
		support each with upto 8TB	OF WORKS		
		Supplying & erecting 4 channel NVR with up to 64 Mbps			
1.00	EACH	incoming bandwidth & 48 Mbps outgoing bandwidth 4 R.I45			
		10M/100M PoE network interfaces, 1 HDD support each with			-
	TRA	Supplying & erecting 8 channel NVR with up to 64 Mbps		Tiple 1	ETG.
1.00	EACH	incoming bandwidth & 48 Mbps outgoing bandwidth, 1 HDD	preving & ere		ho el
		support each with upto 8TB	ni odore intro		Service Comments
	A Special and Section 1.	Supplying & erecting 8 channel NVR with up to 320 Mbps	O LOT NO THE PARTY OF		
1.00	EACH	incoming bandwidth & 180 Mbps outgoing bandwidth, 2 HDD	mit, audio in		Live 1
		support each with upto 8TB	ena & powferd		ma bil
		Supplying & erecting 8 channel NVR with up to 80 Mbps	and the same of the	activity.	NAV.
1.00	EACH	incoming handwidth & 64 Mhns outroing handwidth & 51 45	ero 8 privina		An K
		incoming bandwidth & 64 Mbps outgoing bandwidth, 8 RJ-45	ent audio in	OF MURE	1.00
		10M/100M self-adaptive Ethernet Interface,2 HDD support	the management	-51	
1.00	EACH	Supplying & erecting 16 channel NVR with up to 64 Mbps		na HUMA	OV. F
1.00		incoming bandwidth & 48 Mbps outgoing bandwidth, 1 HDD	THE STATE OF THE S		
		support each with upto 8TB	ON BELLEVIE		11.00
		Supplying & erecting 16 channel NVR with up to 320 Mbps	DO MENTERS		
1.00	EACH	incoming bandwidth & 320 Mbps outgoing bandwidth, 2 HDD	BIN A SILVE	LC HOAD	COLT !
		support each with upto 8TB	THE STATE THE	10	
		Supplying & erecting 16 channel NVR with up to 384 Mbps	STATE OF THE STATE OF	14,150.40	TUUT
1.00	EACH	incoming bandwidth & 384 Mbps outgoing bandwidth, 4 HDD	mi biblis in	08	
		support each with upto 10TB	oplying & pre-	ue Lena	
		Supplying & erecting 32 channel NVR with up to 384 Mbps	1880 531 104	ACT TOWNS	
1.00	EACH	incoming bandwidth & 384 Mbps outgoing bandwidth, 4 HDD	aplying & ener	me Like	
		support each with upto 10TB	iw tells SII viid	08 500	
-	-	Supplying & erecting 32 channel NVR with up to 384 Mbps	and the grant of		
1.00	EACH	incoming bandwidth & 384 Mbps outgoing bandwidth, 8 HDD	tein Rintr	06 040	
and the same		support each with upto 10TB	variab al controlle	mål	
		Supplying & erecting 64 channel NVR with up to 384 Mbps		AN HUAL	[89.E]
1.00	FACH	incoming bandwidth & 294 Mbra and a significant to 384 Mbps	sens di raminis	- 21	
	LAOIT	incoming bandwidth & 384 Mbps outgoing bandwidth, 8 HDD		AC HUAS	
		support each with upto 10TB	2080 711 613		
1.00	EACH	Supplying & erecting big size (approx 12-14 inch) outdoor	CONTRACTOR OF STREET	THOR	DVII
1.00	EACH	shockproof, rustproof, weatherproof Junction Box with pole	A 1840 VI H	100	
		mounting clamp for PoE switch, media converter & electric	the sund or succe		
		Supplying & erecting small size (approx. 4-6 inch) Outdoor	AND REAL PROPERTY OF THE	The state of the s	
1.00	EACH	WeatherProof Junction Box for camera RJ45 port, DC Pin Port	robela Ga n		
		Camera connectors & Audio/alarm i/o port	paying & gray	de S	
.00	EACH	Supplying & erecting 1TB Internal SATA Hard Drive	Delinio reili	NO MINA	1 100
.00	EACH	Supplying & erecting 2TB Internal SATA Hard Drive	OC SUIDE RES	401	
.00	EACH	Supplying & erecting 4TB Internal SATA Hard Drive	TO DE BOND	71	
.00	EACH	Supplying & erecting 6TB Internal SATA Hard Drive	the text of the	LO STATE	Long
.00	EACH	Supplying & erecting 8TB Internal SATA Hard Drive	duliule dalu	CATTAL TO A	1
.00	EACH	Supplying & erecting 10TB Internal SATA Hard Drive	Velo D chi		
.00	EACH	Supplying & erecting for Billierial SATA Hard Drive Supplying & erecting 6-8ft Fabricated angle for camera		Louis terrals	lon el
.00	EACH	Supplying & erecting 3-4ft Fabricated angle for camera	APPENDING TO SERVICE AND ADDRESS OF THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS	and I	
.00	FACH	Supplying & erecting Weters of and in the second se			permitter same
.00	CORE	Supplying & erecting Waterproof gel in camera's RJ45 jack	METAL AND SOUTH	Ale in the sale and	on a
	EACH	Supplying & erecting Core to Core Fiber splicing	Service Country for the		
00 1	EACH	Supplying & erecting Wireless Mouse for NVR	DOU NOW NO V		
	EACH	Supplying & erecting 4x4 PVC surface box for camera	AS IS O BLU S	The second second	
00 E	EACH I	Media converter rack	ORPHAD HA	TUC PILIP	
00	EACH S	Supplying & erecting 32 inch LED TV with wall mounting kit	2012 1207.1		
.00	LACH	supplying & erecting 43 inch 4K LFD TV with wall mounting bit	AUS ATT	1971	Tio :
00 E	EACH	Supplying & erecting 55 inch 4K LED TV with wall mounting kit	OR UNNER H		
	EACH	supplying & erecting wire rope of 3/4/6mm dia having 6/19	1 Table 18 1 1 17		
00 E		construction as per IS complete with termination in provided	OP groim ii	fluid File	
		eye bolts including dismantling of existing accessories.	on Line Holtavol	STOLL	
00 -	-10115	Supply and erecting 440V protector with type 2 surge protection			1 100.7
00 E	EACH	or over voltage protection for 1/2 KVA UPS	cities de la del	****	
00 E	ACH F	abricated Battery racks	1700 ACT 6 100		a lone
	ACH	abricated UPS stand	d name in	A CONTRACTOR OF THE PARTY OF TH	
		annoated of a statio	THE PERSON NAMED IN	5 1/2/2/39 17 17 17	

QT	Y UNI	The state of the s			
1.00	EAC	H Connecting & Linking cobles for US	RATE	GST	TOTA
1.00	EAC	The state of the s	durind nound	001	TOTA
1.00	EACI	Supplying & erecting 4MP Fixed Law 15	wester bar	iesa	
			priving & enc		
1.00	EACH	Supplying & erecting 4MP Fixed Lens IP Dome Indoor Camera 30 mtr IR dist with built in mis buil	should prices	eni HOAB	00.1
	-		w riose hog	line	
1.00	EACH	Supplying & erecting 5MP Fixed Lens IP Dome Indoor Camera 30 mtr IR dist built in micro SD slot upto	ates & estivitors	181	
1.00	FAOL		voned power	ON HOAS	
1.00	EACH		the 2 remains	100	
1.00	EACH	30 mtr IR dist with built-in mic, built in micro SD slot upto 256GB Supplying & erecting 8MP Fixed Lens IP Dome Indoor Camera 30 mtr IR dist	ana no gravinaj Shanna innera	HOAH	
		30 mtr IR dist	w does hold	LUE SU	
1.00	EACH	Supplying & erecting 8MP Fixed Lens IP Dome Indoor Camera	sae A mandris	12	
			wholed gaintio	BACH INC	00.1
1.00	EACH	Supplying & erecting 5MP VeriFocal lens (2.7 - 13.5mm) IP	au rinne hale	130	
	.511	Bullet Outdoor Camera 30 mtr IR dist with audio input, built in	ne a privile	US LIGHT	
		Supplying & erecting 8MB VoriE		EACH line	
1.00	EACH	Supplying & erecting 8MP VeriFocal lens (2.8 - 12mm) IP Bullet Outdoor Camera 30 mtr IR dist with audio input, built in micro	THE SIGNAL	GRI HOAL	10.7
		SD slot upto 256GB	IN AMPR S	er HOAT	
1 00	E40	Supplying & erecting SMD Voris	ie ciglas es	SE HEAT	
1.00	EACH	The state of the s	no A polygo	uči	
-		micro SD slot upto 256GB	oct proof, rue	HOA!	
.00	FACH	Supplying & erecting 8MP VeriFocal lens (2.8 - 12mm) IP Bullet Outdoor Camera 50 mtr IP dist with a veri	emale nei bu	OPP.	
		Outdoor Camera 50 mtr IR dist with audio input, built in micro	ns a privigo		
		Supplying & erecting EMD Verific	- IOOFTICE IS:	MAI HOAF	
.00	EACH	Supplying & erecting 5MP VeriFocal lens (2.7 - 12mm) IP Bullet Outdoor Camera 100 mtr IR dist with audio input, built in micro	THE STATE OF THE	081	
		SD slot upto 256GB	SOURCE BOOK BOOK	HOAR	
00		Supplying & erecting 8MD Vorificants	20 00 Oct		
.00 E			Stuff Okal U.S		
		SD slot upto 256GB	MOET DA SH	DB HOME	
00 E	ACH I	Supplying & erecting 2MP IP ANPR Outdoor Camera varifoical		That I	
				Tillo a	
00 E	ACH 2	nicro SD slot upto 128GB(Market Rate) 4V 3Amp Power Supply for ANPR camera			
00 E	ACH 2	MP IP PTZ 45X optical zoom 250mtr IR dist with audio input,	enmotes tes	10.31	
			0 (0.0)	SI NO NO	00.7
00 E	ACH 4	MP IP PTZ 25X optical zoom 100mtr ID diet in	A ORC HE		00.7
00 E	ACHI	12 Joystick with 1 RS-232 2 RS-485 upod to and 1 lead			
0 E	ACH O	TZ Joystick with 10'2" screen, 1 * RS232,1 * RS485,1 * HDMI			
		utput,1 * RJ45 port, 1 * USB interface,1 * standard 3.5mm			
B U	Su	Ipplying & erecting 4 channel NV/P			
0 EA		orning bariuwidth & 48 Mhns outgoing bandwidth			
-					
DEA	SU	Ipplying & erecting 4 channel NVP			
		Willing Dalluwidin & 48 Minns outgoins best in the			
		THE PROPERTY OF THE WORK INTERFACES 1 LIDE			
EA					
		oming bandwidth & 48 Mbps outgoing bandwidth, 1 HDD opport each with upto 8TB			
	Su	Oplying & erecting 8 channel NV/D with			
EA	CH inc	oming bandwidth & 180 Mbps outgoing bandwidth, 2 HDD			
_	Sur	Oplying & erecting 8 channel AN/P :::			
EAG	1	ining bandwidth & h4 Mhns outgoing head in a -			
1	1101	1/100M self-adaptive Ethernet Interface,2 HDD support			

QTY	UNIT	Description	RATE	GST	TOTAL
1.00	EACH	Supplying & erecting 16 channel NVR with up to 64 Mbps incoming bandwidth & 48 Mbps outgoing bandwidth, 1 HDD support each with upto 8TB	meding & L Stamphony Diying & ere		00.1 00.1
1.00	EACH	Supplying & erecting 16 channel NVR with up to 320 Mbps incoming bandwidth & 320 Mbps outgoing bandwidth, 2 HDD support each with upto 8TB	id \$40 SI SM one & prived not \$2 des w	HOVE HOVE	(8.1)
1.00	EACH	Supplying & erecting 16 channel NVR with up to 384 Mbps incoming bandwidth & 384 Mbps outgoing bandwidth, 4 HDD support each with upto 10TB		EACH 300 I	00.1
1.00	EACH	Supplying & erecting 32 channel NVR with up to 384 Mbps incoming bandwidth & 384 Mbps outgoing bandwidth, 4 HDD support each with upto 10TB	la la distriction de la constante de la consta	EACH Sus	1.00
1.00	EACH	Supplying & erecting 32 channel NVR with up to 384 Mbps incoming bandwidth & 384 Mbps outgoing bandwidth, 8 HDD support each with upto 10TB	llying & energy Tilly distant Tyring & arec	EACH SO D	11.00
1.00	EACH	Supplying & erecting 64 channel NVR with up to 384 Mbps incoming bandwidth & 384 Mbps outgoing bandwidth, 8 HDD support each with upto 10TB	Coloros C SD set um lying & altect	phila Hove moin gave	
1.00	EACH	8CH ANPR support NVR	enemia Direct	BUOL MUA	STEEL ST
1.00		16CH ANPR support NVR	NAME of the Po		
1.00		32CH ANPR support NVR	bere & smid		
1.00	EACH	Supplying & erecting big size (approx 12-14 inch) outdoor shockproof, rustproof, weatherproof Junction Box with pole mounting clamp for PoE switch, media converter & electric	Outdoor Ca SD Not unit White & sheet	ellpe rium promi laguzi	
1.00	EACH	Supplying & erecting small size (approx. 4-6 inch) Outdoor WeatherProof Junction Box for camera RJ45 port, DC Pin Port, Camera connectors & Audio/alarm i/o port	or Carnera : Lucto 2850 Inco & enection	NUTT CORRE	
1.00	EACH	5GHz 300Mbps, 2KM range, 13dBi 2x2 dual-polarized directional MIMO antenna Outdoor CPE with point to point	or Cemera 1 Lugao 2563	DENCO PLUM NE CO	2 100
1.00	EACH	5GHz AC 867Mbps, 2KM range, 23dBi high-gain directional 2×2 MIMO Outdoor CPE with point to point Transmitter &	ing & erycli. V Cancella 1	(mas2) octvO] POr	E 60.1
1.00	EACH	5GHz AC 150Mbps, 10KM range, 25dBi Outdoor Power Beam with point to point Transmitter & Receiver.	Dacs oldu Lore & por	ele C21 (egau 8	
1.00	EACH	5GHz AC 450Mbps, 5KM range, 23dBi Outdoor CPE with 2x2 MIMO Transmitter & Receiver.	r (dan (ib Y) dan tols (U	in) andi. MV I otomi	6-100-11
1.00	EACH	5GHz AC 5KM range, 25dBi Outdoor 120 degree range outdoor sector antenna with 2x2 MIMO Transmitter & Receiver.	ma Power S PIZ 45X or	HE VALE HE	KI SULT
1.00	EACH	2.4GHz 9dBi Outdoor CPE directional antenna	ste (12 oneim	ar Mudi	
1.00	EACH	5GHz 22dBi Outdoor CPE directional antenna	PTZ 25% OF	HI HIMP L	4.00

as a matheta of experimental and a System Analyst of the Mira Bhaindar Municipal Corporation