

मिरा-भाईंदर महानगरपालिका



स्व. इंदिरा गांधी भवन, छत्रपती शिवाजी महाराज मार्ग, भाईंदर(प) पाणी पुरवठा व मलनि:सारण विभाग

संकेतस्थळ - www.mbmc.gov.in

ई-मेल - <u>watersupply@mbmc.gov.in</u>

संपर्क - 281922828-251

जा.क्र.मनपा/पापु व मलिनी २२७३/2023-24

दि.02/09/2024

प्रति, सिस्टम मॅनेजर संगणक विभाग मिरा-भाईंदर महानगरपालिका

> विषय :- मिरा भाईंदर महानगरपालिका क्षेत्रातील पाणीपुरवठ्याच्या मुख्य व वितरण जलवाहीनीवरील लिकेजेस व अनिधकृत जोडण्या शोधण्याकरिता कॅमेरा मागविणे या कामाची निविदा मागविणेकरीता अंदाजपत्रक तयार करणेकरिता ऑन-लाईन दर मागविणेबाबत.

भाईंदर महानगरपालिका क्षेत्रातील पाणीपुरवठ्याच्या मुख्य व जलवाहीनीवरील लिकेजेस व अनिधिकृत जोडण्या शोधण्याकरिता कॅमेरा मागविणे या कामाची निविदा मागविणेकरीता अंदाजपत्रक तयार करावयाचे आहे. परंतु सदर कामाअंतर्गत खालील नमुद बाबींकरीताचे दर दरसुचीमध्ये उपलब्ध नसल्याने ऑन-लाईन दर मागविणे करीता सोबत जोडलेल्या बाबींचा तक्ता www.mbmc.gov.in या संकेत स्थळावर प्रसिध्द करण्यात यावा.

> पाणी पुरवठा व मलिन:सारण विभाग मिरा-भाईंदर महानगरपालिका



MIRA-BHAINDAR MUNICIPAL CORPORATION Water Supply & Sewerage Department Indira Gandhi Bhavan, Chatrapati Shivaji Maharaj Marg, Bhayandar (W) 401101, Tal. Dist – Thane, 28192828



Mira Bhaiander Municipal Corporation Want to Float a tender of providing camera for detection of leakages and illegal connections on main and distribution line of water supply in MBMC Area. For this Municipal Corporation need online rates of the items mentioned in following chart.

The rates will be Submitted on watersupply@mbmc.gov.in from Dt.03/01/2024 to Dt.10/01/2024 upto 12.00 noon.

Sr. No.	DESCRIPTION OF WOR	RK	Unit	Rate (Excluding
1.	Supply Of Flexiprobe puser to detect the leaf	pipe inspection camera in Water & Sewer Pipeline, it will help the	No.	GST)
	condition in drain & w be water proof with IP corporation to pin po inspections which w	rater pipeline Systems in water & Sewer Pipeline, it will help the rater pipeline Systems in municipal corporation. the camera Shall of 8 rating & HD pipe inspection camera System will help municipal pint the problematic location and assist in Quick and accurate li reduce the downtime for repairs and maintenance. Camera ing technical specifications.		
	Discription	Specification		
	Model No.	FLEXIPROBE P540C FLEXIPROBE P540C		
	Structure of Control Unit	Movable AHD DVR control unit, can be hold by hand, can fix at anywhere on the cable reel, can be hung		
	Camera Function	50 MM SELF LEVELLING FRONT VIEW CAMERA		
	Focus	Manual focus		
	Camera Tech. specs	WATERPROOF 460TVL CAMERA 11 BAR CAPACITY		
	camera Diameter (mm)	Ф50mm camera		
	Camera no.	Single camera		
	Camera View angle	120 DEGREE		
	Cable	Dia.11mm fiberglass copper axis cable		

Cable Length	120 Meter
Cable Type	fiberglass Push Rod copper
DVR	Simultaneously connect 1 cameras
Meter Counter Reading	On-screen meter counter Digital meter counter function, error is less than 1%,
Audio Video	Audio Video output
Battery indicatore	on screen & on DVR
Keyboard	keyboard to typewrite the words
Image Resolution	768 x 492 NTSC 765 x 582 PAL
Coverage pipe Dia (min. & max.)	Sutaible 80 mm to 800 dia pipe
Function	AHD DVR control box with audio ,video recording and photograp
Display	10.1", 1280x800 transmissive HD color TFT
Zoom in / out	Mannual Focus adjustment
Image Effact	Image Freezing cold/ warm color
Image Adjustment	Image Sharpness/contrast/gama value
Image / Video format	Video: H.264. Audio: MP3. File format: MP4
File Storage	Integral 128Gb and support of USB flash storage
Data Port	USB Port
Wireless Image Transmission	USB 2.0 (x3), HDMI video out, Analog video in (PAL/NTSC), Headphones out, Microphone in, Rod/Camera connectivity and 802.11 b/g/n WiF
Battery	Internal Li-Ion Battery (4S2P) 7.5hrs view only/5hrs continuous recording*
	Reporting Feature in Docx format which allows customisation on pc and xml files a also available for MSCC5- Compliant Reports.
Reporting	Defect Marking feature in video and images
	Oncsceen typing and marking on images and videos
	Optional Wincan Export License available.
	Wifi and USB Connection
Connectivity	Email content directly to client/Manager of share to Drop Box Using Wireless Hotspo
	Stream Videos to Local Devices

Battery	Internal Li-Ion Battery (4S2P) 7.5hrs view only/5hrs continuous recording*
Battery Working time	>6hr
	One touch Battery Level Indicator.
Water / Dust Proof	Cable & Camera : IP 68 & Moniter IP 55
Weight	20 KG
Standard Configuration	charger / manual/Bag/
Support Service Time	7 working days (For Stand by-products) & 12 – 15 working days for (Repair Services).
Warranty	12 Months warranty
Usage	The usage of Flexiprobe pipe inspection camera in Water & Sewer Pipeline, it will help the user to detect the leakages, additional tapping in water pipe, blockages, mud & internal condition in drain & water pipeline Systems in municipal corporation . the camera is water proof with IP 68 rating & HD pipe inspection camera System will help municipal corporation to pin point the problematic location and assist in Quick and accurate inspections wheich will reduce the downtime for repairs and maintenance.
	the camera system will work proper in clear & slightly mudy water.

Executive Engineer

Water and Sewerage Department Mira Bhaindar Municipal Corporation

No :- MNP/WS & Sew/

/2023-24

Date :-



मिरा-भाईंदर महानगरपालिका

पाणी पुरवठा व मलनिसारण विभाग स्व. इंदिरा गांधी भवन, छत्रपती शिवाजी महाराज मार्ग, भाईंदर(प) ता. जि.ठाणे - 401 101



मिरा भाईंदर महानगरपालिका क्षेत्रातील पाणीपुरवठ्याच्या मुख्य व वितरण जलवाहीनीवरील लिकेजेस व अनिधकृत जोडण्या शोधण्याकरिता कॅमेरा मागविणे या कामाची निविदा मागविणेकरीता अंदाजपत्रक तयार करावयाचे आहे. त्याकरीता मिरा-भाईंदर महानगरपालिका खालील तक्त्यातील बाबींकरीता ऑनलाईन दर मागवित आहे.

उपरोक्त कामाअंतर्गत बाबींचे दर दि.03/01/2024 ते दि.10/01/2024 रोजी दुपारी 12.00 वाजेपर्यंत watersupply@mbmc.gov.in या ई-मेल वर पाठविण्यात यावे.

Sr. No.	DESCRIPTION OF WOR	RK	Unit	15.
			Onit	Rate
				(Exclud
				ng
1.	Supply Of Flexiprobe p	pipe inspection camera in Water & Sewer Pipeline, it will help the		GST)
•	condition in drain & w be water proof with IP corporation to pin po inspections wheich wi	cages, additional tapping in water & Sewer Pipeline, it will help the cages, additional tapping in water pipe, blockages, mud & internal rater pipeline Systems in municipal corporation . the camera Shall 68 rating & HD pipe inspection camera System will help municipal pint the problematic location and assist in Quick and accurate Il reduce the downtime for repairs and maintenance. Camera ing technical specifications.	No.	
	Discription	Specification		
	Model No.	FLEXIPROBE P540C FLEXIPROBE P540C		
	Structure of Control			
	Unit	Movable AHD DVR control unit, can be hold by hand, can fix at anywhere on the cable reel, can be hung		
	Camera Function	50 MM SELF LEVELLING FRONT VIEW CAMERA		
f	Focus	Manual focus		
(Camera Tech. specs	WATERPROOF 460TVL CAMERA 11 BAR CAPACITY		
c	amera Diameter			
(mm)	Ф50mm camera		
C	amera no.	Single camera		
1	amera View angle	120 DEGREE		

E \E Folder\Deepak Jadhav\Sadar\2023-24\Tender Rate Invite\pipe inspection camera doc

_			,
	Cable	Dia.11mm fiberglass copper axis cable	1
	Cable Length	120 Meter	
	Cable Type	fiberglass Push Rod copper	
	DVR	Simultaneously connect 1 cameras	
	Meter Counter Reading	On-screen meter counter Digital meter counter function, error is less than 1%,	
	Audio Video	Audio Video output	
	Battery indicatore	on screen & on DVR	
	Keyboard	keyboard to typewrite the words	
	Image Resolution	768 x 492 NTSC 765 x 582 PAL	
	Coverage pipe Dia (min. & max.)	Sutaible 80 mm to 800 dia pipe	
	Function	AHD DVR control box with audio ,video recording and photograp	
	Display	10.1", 1280x800 transmissive HD color TFT	
	Zoom in / out	Mannual Focus adjustment	
	Image Effact	Image Freezing cold/ warm color	
	Image Adjustment	Image Sharpness/contrast/gama value	
	Image / Video format	Video: H.264. Audio: MP3. File format: MP4	
	File Storage	Integral 128Gb and support of USB flash storage	
	Data Port	USB Port	
	Wireless Image Transmission	USB 2.0 (x3), HDMI video out, Analog video in (PAL/NTSC), Headphones out, Microphone in, Rod/Camera connectivity and 802.11 b/g/n WiF	
	Battery	Internal Li-Ion Battery (4S2P) 7.5hrs view only/5hrs continuous recording*	
		Reporting Feature in Docx format which allows customisation on pc and x also available for MSCC5- Compliant Reports.	ml files are
	Reporting	Defect Marking feature in video and images	
		Oncsceen typing and marking on images and videos	
812		Optional Wincan Export License available.	
	Connectivity	Wifi and USB Connection	
	Connectivity	Email content directly to client/Manager of share to Drop Box Using Wireles	s Hotspot

	Stream Videos to Local Devices
Battery	Internal Li-Ion Battery (4S2P) 7.5hrs view only/5hrs continuous
Battery Working time	
	One touch Battery Level Indicator.
Water / Dust Proof	Cable & Camera : IP 68 & Moniter IP 55
Weight	20 KG
Standard Configuration	charger / manual/Bag/
Support Service Time	7 working days (For Stand by-products) & 12 – 15 working days for (Repair Services).
Warranty	12 Months warranty
Usage	The usage of Flexiprobe pipe inspection camera in Water & Sewer Pipeline, it will help the user to detect the leakages, additional tapping in water pipe, blockages, mud & internal condition in drain & water pipeline Systems in municipal corporation . the camera is water proof with IP 68 rating & HD pipe inspection camera System will help municipal corporation to pin point the problematic location and assist in Quick and accurate inspections which will reduce the downtime for repairs and maintenance.
	the camera system will work proper in clear & slightly mudy water.

कार्यकारी अभियंता पाणी पुरवठा व मलनि:सारण विभाग मिरा-भाईंदर महानगरपालिका

जा.क्र.मनपा/पा.पु.व मलनि/ दि.

/2023-24